

AMENDMENTS TO THE SPECIFICATION

Please amend the section "LEGEND TO FIGURES" on page 13, line 22, to page 14, line 32, as follows:

LEGEND TO FIGURES

| |
|---|
| Figure 1 |
| 1.1 Opraskin [®] : non-coated/coated |
| 1.2 Coated Opraskin [®] : insertion into endoscopic equipment |
| 1.3 Coated Opraskin: unfolded after insertion into endoscopic equip. |
| Figure 2 |
| 2.1 Willospon [®] forte: non-coated/coated |
| 2.2 Coated Willospon [®] forte: insertion into endoscopic equipment |
| 2.3 Coated Willospon [®] forte: unfolded after insertion into endoscopic equipment |
| Figure 3 |
| 3.1 Willospon [®] Spezial: non-coated/coated |
| 3.2 Coated Willospon [®] Spezial: insertion into endoscopic equipment |
| 3.3 Coated Willospon [®] Spezial: unfolded after insertion into endoscopic equipment |
| Figure 4 |
| 4.1 Ethisorb [®] Patch: non-coated/coated |
| 4.2 Coated Ethisorb [®] Patch: insertion into endoscopic equipment |
| 4.3 Coated Ethisorb [®] Patch: unfolded after insertion into endoscopic equipment |
| Figure 5 |
| 5.1 Tabotamp [®] NU Knit: non-coated/coated |
| 5.2 Coated Tabotamp [®] NU Knit: insertion into endoscopic equipment |

| |
|---|
| 5.3 Coated Tabotamp [®] NU Kait: unfolded after insertion into endoscopic equipment |
| Figure 6 |
| 6.1 Sponge Nyeomed: non-coated/coated [lab sample] |
| 6.2 Coated sponge Nyeomed [lab sample]: insertion into endoscopic equipment |
| 6.3 Coated collagen sponge Nyeomed [lab sample]: unfolded after insertion into endoscopic equipment |
| 6.3 Coated collagen sponge Nyeomed [production sample= TachoComb [®]]: unfolded after insertion into endoscopic equipment |
| Figure 7 |
| endoscopic tool: Endodock [®] |
| endoscopic tool: Endodock [®] |
| endoscopic tool: Endodock [®] |
| Figure 8 |
| Blood coagulation and degradation of clot and carrier patch. The active components of the carrier coating are shown in grey shaded boxes. |

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1

- 1.1 Opraskin[®]: non-coated/coated
- 1.2 Coated Opraskin[®]: insertion into endoscopic equipment
- 1.3 Coated Opraskin: unfolded after insertion into endoscopic equip.

Figure 2

- 2.1 Willospon[®] forte: non-coated/coated
- 2.2 Coated Willospon[®] forte: insertion into endoscopic equipment
- 2.3 Coated Willospon[®] forte: unfolded after insertion into endoscopic equipment

Figure 3

3.1 Willospon® Spezial: non-coated/coated

3.2 Coated Willospon® Spezial: insertion into endoscopic equipment

3.3 Coated Willospon® Spezial:: unfolded after insertion into endoscopic equipment

Figure 4

4.1 Ethisorb® Patch: non-coated/coated

4.2 Coated Ethisorb® Patch: insertion into endoscopic equipment

4.3 Coated Ethisorb® Patch: unfolded after insertion into endoscopic equipment

Figure 5

5.1 Tabotamp® NU Knit: non-coated/coated

5.2 Coated Tabotamp® NU Knit: insertion into endoscopic equipment

5.3 Coated Tabotamp® NU Knit: unfolded after insertion into endoscopic equipment

Figure 6

6.1 Sponge Nycomed: non-coated/coated [lab sample]

6.2 Coated sponge Nycomed [lab sample]: insertion into endoscopic equipment

6.3 Coated collagen sponge Nycomed [lab sample]: unfolded after insertion into endoscopic equipment

6.3 Coated collagen sponge Nycomed [production sample= TachoComb®]: unfolded after insertion into endoscopic equipment

Figure 7

endoscopic tool: Endodock®

endoscopic tool: Endodock®

endoscopic tool: Endodock®

Figure 8

Blood coagulation and degradation of clot and carrier patch. The active components of the carrier coating are shown in grey shaded boxes.